iLiNS Project Publications

2011

Adu-Afarwuah S, Lartey A, Zeilani M, Dewey KG. Acceptability of lipid-based nutrient supplements (LNS) among Ghanaian infants and pregnant or lactating women. Matern Child Nutr. 2011 Oct; 7(4):344-56.

Hess SY, Bado L, Aaron GJ, Ouédraogo JB, Zeilani M, Brown KH. Acceptability of zinc-fortified, lipid-based nutrient supplements (LNS) prepared for young children in Burkina Faso. Matern Child Nutr. 2011 Oct; 7(4):357-67.

Phuka J, Ashorn U, Ashorn P, Zeilani M, Cheung YB, Dewey KG, Manary M, Maleta K. Acceptability of three novel lipid-based nutrient supplements among Malawian infants and their caregivers. Matern Child Nutr. 2011 Oct; 7(4): 368-77.

2012

Dewey KG and Arimond M. Lipid-based nutrient supplements: How can they combat child malnutrition? PLoS Med 2012 Sep;9(9): e1001314.

2013

Dewey KG. The challenge of meeting nutrient needs of infants and young children during the period of complementary feeding: an evolutionary perspective. J Nutr. 2013 Dec;143(12):2050-4.

Pulakka A, Cheung YB, Ashorn U, Penpraze V, Maleta K, Phuka JC, Ashorn P. Feasibility and validity of the ActiGraph GT3X accelerometer in measuring physical activity of Malawian toddlers. Acta Paediatr. 2013 Dec;102(12):1192-8.

2014

Gondwe A, Munthali AC, Ashorn P, Ashorn U. Perceptions and experiences of community members on caring for preterm newborns in rural Mangochi, Malawi: a qualitative study. BMC Pregnancy Childbirth. 2014 Dec 2;14:399.

Kumwenda C, Dewey KG, Hemsworth J, Ashorn P, Maleta K, Haskell MJ. Lipid-based nutrient supplements do not decrease breast milk intake of Malawian infants. Am J Clin Nutr. 2014 Mar;99(3):617-23.

Prado EL, Abubakar AA, Abbeddou S, Jimenez EY, Somé JW, Ouédraogo JB. Extending the Developmental Milestones Checklist for use in a different context in Sub-Saharan Africa. Acta Paediatr. 2014 Apr;103(4):447-54.

2015

Abbeddou S, Hess SY, Yakes Jimenez E, Somé JW, Vosti SA, Guissou RM, Ouédraogo J, Brown KH. Comparison of methods to assess adherence to small-quantity lipid-based nutrient supplements (SQ-LNS) and dispersible tablets among young Burkinabé children participating in a community-based intervention trial. Matern Child Nutr. 2015 11:90-104.

Adu-Afarwuah S, Lartey A, Okronipa H, Ashorn P, Zeilani Z, Peerson JM, Arimond M, Vosti S, Dewey KG. Lipid-based nutrient supplement increases the birth size of infants of primiparous women in Ghana. Am J Clin Nutr. 2015 Apr;101(4):835-46.

Arimond M, Zeilani M, Jungjohann S, Brown KH, Ashorn P, Allen LH, Dewey KG. Considerations in developing lipid-based nutrient supplements for prevention of undernutrition: experience from the International Lipid-Based Nutrient Supplements (iLiNS) Project. Matern Child Nutr. 2015 11:31–61.

Ashorn P, Alho L, Ashorn U, Cheung YB, Dewey KG, Gondwe A, Harjunmaa U, Lartey A, Phiri N, Phiri TE, Vosti SA, Zeilani M, Maleta K. Supplementation of maternal diets during pregnancy and for 6 months postpartum and infant diets thereafter with small-quantity lipid-based nutrient supplements does not promote child growth by 18 months of age in rural Malawi: A randomized controlled trial. (abstract). J Nutr. 2015 Jun;145(6):1345-53.

Ashorn P, Alho L, Ashorn U, Cheung YB, Dewey KG, Harjunmaa U, Lartey A, Nkhoma M, Phiri N, Phuka J, Vosti SA, Zeilani M, Maleta K. The impact of lipid-based nutrient supplement provision to pregnant women on newborn size in rural Malawi: a randomized controlled trial. Am J Clin Nutr. 2015 Feb;101(2):387-97.

Ashorn U, Alho L, Arimond M, Dewey KG, Maleta K, Phiri N, Phuka J, Vosti SA, Zeilani M, Ashorn P. Malawian mothers consider lipid-based nutrient supplements acceptable for children throughout a 1-year intervention, but deviation from user recommendations is common. J Nutr. 2015 Jul;145(7):1588-1595.

Chandrasiri UP, Fowkes FJI, Richards JS, Langer C, Fan YM, Taylor SM, Beeson JG, Dewey KG, Maleta K, Ashorn P, Rogerson SJ. The impact of lipid-based nutrient supplementation on anti-malarial antibodies in pregnant women in a randomized controlled trial. Malar J. 2015 May 10;14:193.

Harjunmaa U, Järnstedt J, Dewey KG, Ashorn U, Maleta K, Vosti SA, Ashorn P. Nutrient supplementation may adversely affect maternal oral health - a randomized controlled trial in rural Malawi. Matern Child Nutr. 2015 Jul 21.

Harjunmaa U, Järnstedt J, Alho L, Dewey KG, Cheung YB, Deitchler M, Ashorn U, Maleta K, Klein NJ, Ashorn P. The association between maternal dental periapical infections and pregnancy outcomes - Results from a cross-sectional study in Malawi. Trop Med Int Health. 2015 Nov;20(11):1549-1558.

Hess SY, Abbeddou S, Jimenez EY, Somé JW, Vosti SA, Ouédraogo ZP, Guissou RM, Ouédraogo JB, Brown KH. Small-quantity lipid-based nutrient supplements, regardless of their zinc content, increase growth and reduce the prevalence of stunting and wasting in young Burkinabe children: a cluster-randomized trial. PLoS One. 2015 Mar 27;10(3):e0122242.

Hess SY, Abbeddou S, Yakes Jimenez E, Ouédraogo JB, Brown KH. Iodine status of young Burkinabe children receiving small-quantity lipid-based nutrient supplements and iodized salt: A cluster-randomized trial. Br J Nutr. 2015. Dec;114(11):1829-37.

Maleta KM, Phuka J, Alho L, Cheung YB, Dewey KG, Ashorn U, Phiri N, Phiri TE Vosti SA, Zeilani M, Kumwenda C, Bendabenda J, Pulakka A, Ashorn P. Provision of 10–40 g/d lipid-based nutrient supplements from 6 to 18 months of age does not prevent linear growth faltering in Malawi. J. Nutr. 10 June 2015 doi:10.3945/jn.114.208181 [Epub ahead of print].

Pulakka A, Ashorn P, Gondwe A, Phiri N, Ashorn U. Malawian parents' perceptions of physical activity and child development: a qualitative study. Child Care Health Dev. 2015 Nov.;41(6):911-919.

Pulakka A, Ashorn U, Cheung YB, Dewey KG, Maleta K, Vosti SA, Ashorn P. Effect of 12-month intervention with lipid-based nutrient supplements on physical activity of 18-month-old Malawian children: a randomised, controlled trial. Eur J Clin Nutr. 2015 Feb;69(2):173-8.

Somé JW, Abbeddou S, Yakes Jimenez E, Hess SY, Ouédraogo ZP, Guissou RM, Vosti SA, Ouédraogo JB, Brown KH. Effect of zinc added to a daily small-quantity lipid-based nutrient supplement on diarrhea, malaria, fever and respiratory infections in young children in rural Burkina Faso: a cluster randomized trial. BMJ Open. 2015 Sep 11;5(9):e007828.

Stewart CP, Oaks BM, Laugero KD, Ashorn U, Harjunmaa U, Kumwenda C, Chaima D, Maleta K, Ashorn P, Dewey KG. Maternal cortisol and stress are associated with birth outcomes, but are not affected by lipid-based nutrient supplements during pregnancy: an analysis of data from a randomized controlled trial in rural Malawi. BMC Pregnancy Childbirth. 2015 Dec 22;15(1):346.

2016

Adams KP, Lybbert TJ, Vosti SA, Ayifah E. Using Experimental Auctions to Estimate Willingness-to-Pay for a New Maternal Nutrient Supplement in Ghana. Agric Econ. 2016 Jul 12. [Epub ahead of print]

Adu-Afarwuah S, Lartey A, Okronipa H, Ashorn P, Peerson JM, Arimond M, Ashorn U, Zeilani M, Vosti S, Dewey KG. Small-quantity lipid-based nutrient supplements provided to women during pregnancy and 6 mo postpartum, and to their infants from 6 mo of age, increases child linear growth by 18 mo of age in semi-urban Ghana: A randomized controlled trial. Am J Clin Nutr. 2016 Sep;104(3):797-808.

Adu-Afarwuah S, Lartey A, Okronipa H, Ashorn P, Zeilani M, Baldiviez LM, Oaks BM, Vosti SA, Dewey KG. Impact of small-quantity lipid-based nutrient supplement on hemoglobin, iron status and biomarkers of inflammation in pregnant Ghanaian women. Mat Child Nutr. 2016 Feb 29. [Epub ahead of print]

Arimond M, Abbeddou S, Kumwenda C, Okronipa H, Hemsworth J, Jimenez EY, Ocansey E, Lartey A, Ashorn U, Adu-Afarwuah S, Vosti SA, Hess SY, Dewey KG. Impact of small quantity lipid-based nutrient supplements on infant and young child feeding practices at 18 months of age: Results from four randomized controlled trials in Africa. Matern Child Nutr. 2016 Dec 2. [Epub ahead of print]

Bendabenda J, Alho L, Ashorn U, Cheung YB, Dewey KG, Vosti SA, Phuka J, Maleta K, Ashorn P. The effect of providing Lipid-based Nutrient Supplements on morbidity in rural Malawian infants and young children: a randomized controlled trial. Public Health Nutr. 2016 Jul;19(10):1893-903.

Hemsworth J, Kumwenda C, Arimond M, Maleta K, Phuka J, Rehman AM, Vosti SA, Ashorn U, Filteau S, Dewey KG, Ashorn P, Ferguson EL. Lipid-based nutrient supplements increase energy and macronutrient intakes from complementary food among Malawian infants. J. Nutr. 2016 Feb; 146(2) 326-334.

Klevor MK, Haskell MJ, Lartey A, Adu-Afarwuah S, Zeilani M, Dewey KG. Lipid-based nutrient supplements providing the approximate recommended daily intake of vitamin A do not increase breast milk retinol concentrations among Ghanaian women. J. Nutr. 2016 Feb; 146(2) 335-342.

Klevor M, Adu-Afarwuah S, Ashorn P, Arimond M, Dewey KG, Lartey A, Maleta K, Phiri N, Pyykkö J, Zeilani M, Ashorn U. A mixed method study exploring adherence to and acceptability of small quantity lipid-based nutrient supplements (SQ-LNS) among pregnant and lactating women in Ghana and Malawi. BMC Pregnancy Childbirth. 2016 Aug 30;16:253.

Kumwenda C, Hemsworth J, Phuka J, Arimond M, Ashorn U, Maleta K, Ashorn P, Haskell MJ, Dewey KG. Factors associated with breast milk intake among 9-10-month-old Malawian infants. Matern Child Nutr. 2016 Oct;12(4):778-89.

Lybbert TJ, Vosti SA, Adams KP, Guissou R. 2016. Household demand for child micronutrient supplementation in Burkina Faso. CEGA Working Paper Series No. WPS-055. Center for Effective Global Action. University of California, Berkeley.

Oaks BM, Stewart CP, Laugero KD, Adu-Afarwuah S, Lartey A, Vosti SA, Ashorn P, Dewey KG. Maternal Plasma Cholesterol and Duration of Pregnancy: A Prospective Cohort Study in Ghana. Matern Child Nutr. 2016 Dec 27. [Epub ahead of print]

Oaks BM, Laugero KD, Stewart CP, Adu-Afarwuah S, Lartey A, Ashorn P, Vosti SA, Dewey KG. Late pregnancy salivary cortisol concentrations of Ghanaian women participating in a randomized controlled trial of prenatal lipid-based nutrient supplements. J. Nutr. 2016 Feb; 146(2) 343-352.

Prado EL, Abbeddou S, Yakes Jimenez E, Somé JW, Ouédraogo ZP, Vosti SA, Dewey KG, Brown KH, Hess SY, Ouédraogo JB. Lipid-based nutrient supplements plus malaria and diarrhea treatment increase infant development scores in a cluster-randomized trial in Burkina Faso. J. Nutr. 2016 April; 146(4) 814-22.

Prado EL, Adu-Afarwuah S, Lartey A, Ocansey M, Ashorn P, Vosti SA, Dewey KG. Effects of pre- and post-natal lipid-based nutrient supplements on infant development in a randomized trial in Ghana. Early Hum Dev. 2016 Jul 5;99:43-51.

Prado EL, Maleta K, Ashorn P, Ashorn U, Vosti SA, Sadalaki J, Dewey KG. Effects of maternal and child lipid-based nutrient supplements on infant development: a randomized trial in Malawi. Am J Clin Nutr. 2016 March; 103(3) 784-793.

Prado EL, Phuka J, Maleta K, Ashorn P, Ashorn U, Vosti SA, Dewey KG. Provision of Lipid-Based Nutrient Supplements from Age 6 to 18 Months Does Not Affect Infant Development Scores in a Randomized Trial in Malawi. Matern Child Health J. 2016 Oct;20(10):2199-208.

Prado EL, Abbeddou S, Adu-Afarwuah S, Arimond M, Ashorn P, Ashorn U, Brown KH, Hess SY, Lartey A, Maleta K, Ocansey E, Ouédraogo JB, Phuka J, Somé JW, Vosti SA, Yakes Jimenez E, Dewey KG. Linear Growth and Child Development in Burkina Faso, Ghana, and Malawi. Pediatrics. 2016 Aug;138(2). pii: e20154698.

Prado EL, Abbeddou S, Yakes Jimenez E, Somé JW, Dewey KG, Brown KH, Hess SY. Effects of an intervention on growth and development: evidence for different mechanisms at work. Matern Child Nutr. 2016 May 4. [Epub ahead of print].

Shaw L, Harjunmaa U, Doyle R, Mulewa S, Charlie D, Maleta K, Callard R, Walker AS, Balloux F, Ashorn P, Klein N. Distinguishing the Signals of Gingivitis and Periodontitis in Supragingival Plaque: a Cross-Sectional Cohort Study in Malawi. Appl Environ Microbiol. 2016 Sep 16;82(19):6057-67.

Stewart RC, Ashorn P, Umar E, Dewey KG, Ashorn A, Creed F, Rahman A, Tomenson B, Prado EL, Maleta K. The impact of maternal diet fortification with lipid-based nutrient supplements on postpartum depression in rural Malawi: a randomised-controlled trial. Matern Child Nutr. 2016 Apr 5. [Epub ahead of print]

In press

Hess SY, Yakes Jimenez E, Abbeddou S. Impact of Small-Quantity Lipid-Based Nutrient Supplements on Iodine Status: A cluster-randomized trial in young Burkinabe children. Sight and Life Magazine.

Nkhoma M, Ashorn P, Ashorn U , Dewey K, Gondwe A, Mbotwa J, Rogerson S, Taylor S, Maleta K. Providing lipid-based nutrient supplement during pregnancy does not reduce the risk of maternal P falciparum parasitaemia and reproductive tract infections: a randomised control trial. BMC Pregnancy and Childbirth.